














12 VOLT - POWERPROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
546 105 045 L1B*	—	46	450	1	0	B13/B15		
560 119 060 L2B*	—	60	600	1	0	B13/B15		
565 103 060 L2	—	65	600	1	0	B13		
570 115 068 L3B*	—	70	680	1	0	B13/B15		
580 105 072 L3	—	80	720	1	0	B13		
600 103 085 L5	—	100	850	1	0	B13		

12 VOLT - PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
532 101 026 E1	53226 53228 — 83228	32	260	1	0	B01		















12 VOLT - PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
535 104 028 B20J	53520	35	280	3	0	B00	 small terminals	
535 105 028 B20JX	53522	35	280	3	1	B00	 small terminals	
536 114 033 L1B*	53646 53653	36	330	1	0	B13/B15	 ▲	
540 108 033 L0	54059	40	330	1	0	B13		
543 112 042 L1BF	54317	43	420	19	0	B13		
544 107 039 L1	54459 - 84310 85510	44	390	1	0	B13	 ▲	
544 110 039 L1X	54464 - 84311 85511	44	390	1	1	B13	 ●	
544 111 042 L1B	54465	44	420	1	0	B13	 ▲	

















12 VOLT - PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
545 111 033 B24	54523	45	330	1	0	B00		
545 112 033 B24X	54524	45	330	1	1	B00		
545 113 033 B24J	54584	45	330	3	0	B00	 small terminals	
545 114 033 B24JX	54551	45	330	3	1	B00	 small terminals	
545 115 033 E2	54577	45	330	1	0	B01		
545 116 033 E2X	54579	45	330	1	1	B01		
545 117 042 L2B*	54519	45	420	1	0	B13/B15		
550 120 036 D20	55041	50	360	1	0	B00		

12 VOLT - PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
550 121 036 D20X	55042	50	360	1	1	B00		
550 122 054 L2B*	55048 55056 55426 55428	50	540	1	0	B13/B15		
554 102 054 L2BF	55423 55427	54	540	19	0	B13		
555 111 048 L2X	55565	55	480	1	1	B13		
555 112 048 L2	55559	55	480	1	0	B13		
560 115 042 D23	56068	60	420	1	0	B00		
560 116 042 D23X	56069	60	420	1	1	B00		
560 117 060 L2B	56077	60	600	1	0	B13		













12 VOLT - PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
560 120 039 GR24	56048	60	390	1	0	B06/B07		
560 121 039 GR24X	56049	60	390	1	1	B06/B07		
562 107 051 L2	56112 56219 - 86010	62	510	1	0	B13		
562 108 051 L2X	56221 - 86011	62	510	1	1	B13		
563 104 054 L3B*	56318	63	540	1	0	B13/B15		
564 103 064 L3B*	56420 56820	64	640	1	0	B13/B15		
565 106 057 L3B*	56530	65	570	1	0	B13/B15		
570 111 064 L3	56638 - 87010	70	640	1	0	B13		




12 VOLT - PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
570 112 064 L3X	56633 56646 - 87011	70	640	1	1	B13		
570 113 054 GR24	57029	70	540	1	0	B07/B12		
570 114 054 GR24X	57024	70	540	1	1	B07/B12		
571 101 068 L3B	56822 57113	71	680	1	0	B13		
571 103 068 L3BF	56821 57114	71	680	19	0	B13		
574 102 068 L3	57223 57412 57531	74	680	1	0	B13		
575 105 064 L4B	57539	75	640	1	0	B13		
580 106 068 L3X	58001	80	680	1	1	B13		





12 VOLT - PROFI

ETN	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
582 101 072 L4	58211	82	720	1	0	B13		
585 104 076 L5B	58515	85	760	1	0	B13		
588 109 072 L5	58827	88	720	1	0	B13		
592 102 076 L5	59219	92	760	1	0	B13		
592 103 076 L5X	58821 59221	92	760	1	1	B13		
600 104 080 L5	60038	100	800	1	0	B13		

12 VOLT - ECOPROFI

CODE FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	RC in min.	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
VR 680 L2B	-	95	680	1	0	B03		
VR 760 L3B	-	115	760	1	0	B03		

12 VOLT - Special car batteries - Batteries spéciales VL - Spezialbatterien PKW
Baterías especiales para coches - Speciale accu's voor personenwagens

CODE FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
580 24 L3	-	80	-	1	0	B13		
595 38 L5	-	95	-	1	0	B13		

12 VOLT - LKW PROFI SUPER HEAVY DUTY

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
635 105 085 A	63530 63531/65038	135	850	1	3	B01		
680 032 100 B	68032 68025/68034	180	1000	1	3	B00		
725 012 115 CX	72512 70027/72511 73027	225	1150	1	3	B00		

12 VOLT - LKW PROFI HEAVY DUTY

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
610 107 080 MCD110	61040	110	800	1	3	B03		
620 107 085 MAC120	61087	120	850	1	4	B03		
620 108 085 A	62040 62034	120	850	1	3	B01		
632 101 095 MAT132	63211	132	950	1	0	B01		

12 VOLT - LKW PROFI HEAVY DUTY

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
635 106 095 MCD110	63543 63539 63544	135	950	1	3	B03		
640 102 095 A	64020 63548	140	950	1	3	B01		
648 101 100 MCD143	64329	148	1000	1	3	B03		
648 102 100 B	64317 64331	148	1000	1	3	B00		
660 104 105 B	67018 66523	160	1050	1	3	B00		
660 103 105 MAC154	66519	160	1050	1	4	B03		
680 104 110 B	68022	180	1100	1	3	B00		
685 101 120 MAC154	-	185	1200	1	4	B03		









12 VOLT - LKW PROFI HEAVY DUTY

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
700 108 115 CX	71014 70036	200	1150	1	3	B00		
700 109 115 C	71015 70037	200	1150	1	4	B00		



12 VOLT - LKW PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
600 026 060 AT100	60026	100	600	1	0	B00		
600 035 060 AT100X	60035	100	600	1	1	B00		
600 115 076 GR28	60032 59518	100	760	1	0	B01		
600 116 076 GR28X	60033 59519	100	760	1	1	B01		
605 108 068 COM100	60528 60018	105	680	1	0	B00		

12 VOLT - LKW PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
605 109 068 COM100X	60527 60019	105	680	1	1	B00		
625 103 076 COM125	62512 62526	125	760	1	0	B00		
625 104 076 COM125X	62514 62527	125	760	1	1	B00		
630 104 095 MAC140	63013	130	950	1	3	B00		

6 VOLT - LKW PROFI

ETN FITMENT	Replaces Remplace Ersetzt Sustituye Vervangt	Ah	CCA Cap. démar. Kaltstartleistung Cap. de arranque en frío Koudstartstroom A EN	Terminal Borne Poltyp Polo Pooltype	Layout Schéma Schaltung Esquema Poolschema	Hold-Down Fixation Bodenleisten Tipo de envase Bodemlijst	Layout - Schéma - Schaltung Esquema - Poolschema	Dimensions - Dimensions - Abmessungen Dimensiones - Afmetingen
132 101 068 M4	13211 14023	132	680	1	0	B00		
160 102 090 M5	16016 16022	160	900	1	0	B01		
198 101 105 M6	19811 22013	198	1050	20	0	B00	